

Energizer[®]

HARDCASE[®]
TACTICAL[®]



TM

www.HardCaseTactical.com

MIL2GB21L

- 5 light sources – 4 visible (white, red, blue, green) and 1 night vision compatible (IR/IFF)
- Light is fully operable on 1 or 2 AA batteries
- Operational toggle switch, with 3 functional modes: infrared (for both IR and IFF); lockout; and functional operation
- Primary white button located on tail cap of light for standard use
- Cam lock battery compartment for quick battery exchange
- Specially designed MOLLE attachment clip prevents accidental removal
- Waterproof to 1 meter for 30 minutes (IPX7)



Power Source	Lamp	White LED Max Output	Add'l LEDs	Weight	Dimensions
2 Energizer® Ultimate Lithium AA batteries	1 White LED	77 Lumens	IFF IR	191 g (6.73 oz) (with batteries)	5.6 in x 2.2 in 142.24 mm x 55.88 mm

MIL2GS21L

- Five light sources – four visible (white, red, blue, green) and one night vision compatible (IR/IFF)
- Light is fully operable on 1 or 2 AA batteries
- Operational toggle switch, with three functional modes – infrared (for both IR and IFF); lockout; and functional operation
- Primary white button located on tail cap
- Cam lock battery compartment for quick battery exchange
- Specially designed MOLLE/OTV attachment clip
- Waterproof to 1 meter for 30 minutes (IPX7)




Power Source	Lamp	White LED Max Output	Add'l LEDs	Weight	Dimensions
2 Energizer® Ultimate Lithium AA batteries	1 White LED	77 Lumens	IFF IR	143.4 g (5.3 oz) (with batteries)	5.625 in x 2.25 in x 1.375 in 142.875 mm x 57.15 mm x 34.925 mm

MILHBB11L | MILHBR11L



- 4 light sources – 2 visible (white and blue or red) and 2 night vision compatible (IR and IFF)
- 8 separate intensity configurations
- Integrated IR and IFF with lockout switch
- Omni-directional beacon
- Rotates 360° and locks into desired position in 18° increments
- Mounts on either side of helmet and does not protrude below rim
- Includes mounts for helmet and MOLLE/OTV vest or system
- Advanced polymer construction
- Waterproof to 1 meter for 30 minutes (IPX7)
- Includes 1 Energizer® Ultimate Lithium AA battery, the world's longest lasting AA battery in high tech devices
- MILHBB11L: blue secondary light
MILHBR11L: red secondary light




Power Source	Lamp	White LED Max Output	Add'l LEDs	Weight	Dimensions
1 Energizer® Ultimate Lithium AA battery	1 White LED	37 Lumens	IFF IR	127.9 g (4.5 oz) (with battery)	3 in x 1.5 in 76.2 mm x 38.1 mm

MILHSB11L | MILHSR11L



- 4 light sources – 2 visible (white and blue or red) and 2 night vision compatible (IR and IFF)
- Light is fully operable on 1 AA battery
- 8 separate intensity configurations
- Integrated IR and IFF with lockout switch
- Omni-directional beacon
- Rotates 360° and locks into desired position in 18° increments
- Mounts on either side of helmet and does not protrude below rim
- Includes mounts for helmet and vest (MOLLE/OTV/MTV)
- Advanced polymer construction
- Waterproof to 1 meter for 30 minutes (IPX7)
- Includes 1 Energizer® Ultimate Lithium AA battery, the world's longest lasting AA battery in high tech devices
- Lifetime warranty
- MILHSB11L: blue secondary light
MILHSR11L: red secondary light



Power Source	Lamp	White LED Max Output	Add'l LEDs	Weight	Dimensions
1 Energizer® Ultimate Lithium AA battery	1 White LED	37 Lumens	IFF IR	93.4 g (3.3 oz) (with helmet mount & battery)	2.93 in x 1.25 in x 1.01 in 74.42 mm x 31.75 mm x 25.65 mm

MILMOL11L

- Advanced polymer construction
- Waterproof to 1 meter for 30 minutes (IPX7)
- MOLLE/OTV/MTV attachment with magnets
- Bright white LED with TIR lens
- Optional red and blue secondary lenses screw in tailcap for storage
- Run time 8 hours with lithium batteries, 6 hours with alkaline batteries
- One touch on/off push button for ease of operation
- Operates on 1 AA battery
- Lifetime warranty

**AVAILABLE
SPRING 2011**



Power Source	Lamp	White LED Max Output	Weight	Dimensions
1 Energizer® Ultimate Lithium AA battery	1 White LED	47 Lumens	57 g (2 oz) (with battery)	3.875 in x 1.5 in x 1 in 98.425 mm x 38.1 mm x 25.4 mm

MILML11L



- Machined aircraft-grade aluminum alloy casing
- Shatterproof lens
- Bright white LED
- Full-control dimming capability allows for balancing between brightness and runtime
- Waterproof to 1 meter for 30 minutes (IPX7)
- Heavy duty metal clip
- Push button tail-switch regulates brightness with the touch of a finger
- Automatic 30-minute shut off if light is accidentally activated



Power Source	Lamp	White LED Max Output	Weight	Dimensions
1 Energizer® Ultimate Lithium AA battery	1 White LED	45 Lumens	83.2 g (2.93 oz) (with battery)	4.33 in x 1.12 in 109.982 mm x 28.448 mm

Energizer®
HARD CASE®
TACTICAL

533 Maryville University Drive • St. Louis, MO 63141 • 314-985-2000 • 800-459-7622 • Energizer.com
HardCaseTactical.com Email: HardCaseTactical@Energizer.com